



VENERA TOUCH PANEL

VENERA AC THERMOSTAT

Data Sheet Rev 3.1

Model: VEN-AC-4R-HC



OVERVIEW

This WIFI-enabled wall thermostat consists of four touch buttons with intelligible icons and an elegant 1" OLED screen that displays the current indoor/outdoor temperatures and fan speed.

Simply replace your old thermostat switch with this newly engineered device, connect it to the Internet, and control your home temperature efficiently.

KEY BENEFITS

- + Good for Utilizing as High-Voltage 110 /230V Thermostat
- + Built-in Wi-Fi for Direct Connection to the Internet
- + Ducted AC Control
- + Local/Remote Control via TIS App
- + Works with TIS Remote Control

KEY FEATURES

- ★ Wall mount, Touch Panel with 4 Buttons and OLED Screen
- ★ Built-in Temperature Sensor
- ★ Works with the TIS-BUS Protocol
- ★ Available in 2 Glass Colors: Black and White
- ★ Fits in all Standard Electrical back boxes (US, UK, EU sizes)



BARCODE (UPC-A)



VENERA TOUCH PANEL

Venera AC Thermostat

Model: VEN-AC-4R-HC



PRODUCT SPECIFICATIONS

	Power Supply	Input Voltage	110-240 VAC 50/60 Hz
		Output Power	3W / 12V
		Protection	Built-in protection fuse
		Current consumption	10-30 mA / 12 V DC
	Output	Number of channels	4 relays for cool, heat and fan speed control
		Nominal voltage	110– 230 V AC 50/60 Hz
		Nominal current per channel	3 A / 230 VAC
	Output switching current	Max Continues current	3A/230 VAC
		Max. switching Voltage	277VAC / 30VDC
	Output service life	Mechanical Endurance	> 10,000,000 OPS
	Output switching times	Operating time	8 mS (at nomi. Volt)
		Releasing time	5 mS (at nomi. Volt)
		Max. operating frequency	25 cycle/min
	TIS AIR	WIFI Signal	2.4 GHz
		Protocol Standard	802.11 b/g/n
	Reaction time		approx. 30ms
	Mounting	Wall mount	To US EU or UK junction box size.
	Operating and display elements	Display	0.9-inch OLED Screen
		touch buttons	4 Touch Capacitive Control Buttons
		Temp sensor	Built-in Resistive Temp Sensor
		Infrared Receiver	Controlled by TIS Remote Control
		Backlight	2 Colors Backlight Indicators
		TIS AIR	TIS Protocol Messages & Commands
		Upgrading	By WIFI Connection
	Weight	Without packaging	21 g
	Dimensions	Length x Width x Height	85mm x 42mm x 109mm
	Housing	Materials	PC fire-proof / Glass in front
		Internal Parts color	Black or White
		IP rating	IP 50
	Temperature range	Operation	-10...60°C
		Storage	-20...50°C
		Transport	-25...75°C
	Air humidity		<80% non-condensing



Copyright © 2020 TIS, All Rights Reserved

TIS Logo is a Registered Trademark of Texas Intelligent System LLC in the United States of America. This company takes TIS Control Ltd. in other countries. All of the Specifications are subject to change without notice.

TEXAS INTELLIGENT SYSTEM LLC

SUITE# 610, 860 NORTH DOROTHY DR
RICHARDSON
TX 75081.USA

TIS CONTROL LIMITED

RM 1502-p9 Easey CommBldg
253-261 Hennessy Rd Wanchai
Hong Kong

VENERA TOUCH PANEL

Venera AC Thermostat

Model: VEN-AC-4R-HC

